

# Swelab™ Lumi hematology system. Enlightening your opportunities.

---

A complete blood count is often requested to assess a patient's general health status or to monitor disease progression and treatment.

Swelab Lumi hematology system provides access to a reliable, yet cost-effective hematology system, developed with the user in mind to facilitate operations. Built on robust software and hardware components, Swelab Lumi ensures a reliable performance, while keeping service and maintenance needs to a minimum. With its compact design, Swelab Lumi is well suited for the smaller laboratory:

- Developed to simplify work processes.
- Robust design ensures a reliable performance.
- Small footprint to suit the smaller laboratory.



## Technical specification

### Parameters

20 for diagnostic use:

RBC, MCV, HCT, RDW-CV, HGB, MCH, MCHC, PLT, MPV, WBC, LYM#, LYM%, MON#, MON%, NEU#, NEU%, EOS#, EOS%, BAS#, BAS%

9 for research use:

RDW-SD, PCT, PDW, P-LCC, P-LCR, AL#, AL%, IG#, IG%

### Throughput

Up to 60 samples/h in CBC mode

Up to 45 samples/h CBC + 5-part WBC differential

### Sample analysis

Samples: Venous blood, capillary blood, and pre-diluted

Sampling system: Open tube aspiration

Aspiration volume: CBC: 20  $\mu$ L and CBC + DIFF: 25  $\mu$ L

### Reagents

3 RFID locked reagents and one cleaner used for analysis:

Swelab Lumi-D Diluent, Swelab Lumi-L1 Lyse, Swelab Lumi-L2 Lyse, and Boule EasyCleaner

### Display

10.4 inch TFT touch screen

### Quality control

Tri-level controls (L, N, H)

QC statistics: Mean, SD, CV%, Levey-Jennings and X-bar

### Linearity ranges

PLT: 0–3000  $\times 10^9$ /L

RBC: 0–8.5  $\times 10^{12}$ /L

WBC: 0–300  $\times 10^9$ /L

HBC: 0–250 g/L

### Data storage capacity

50 000 samples

### Interface ports

4 USB ports, 1 LAN port that supports bidirectional LIS/HIS communication through HL7 protocol

### Printout

External laser printer or inkjet printer, various printout formats and user-defined formats

### Dimension

364 mm (W)  $\times$  431 mm (D)  $\times$  498 mm (H)

### Weight

28 kg

## boule.com

Swelab is a trademark of Boule Medical AB.

© 2021–2022 Boule Diagnostics AB

Boule Diagnostics AB, Domnarvsgatan 4, SE-163 53 Spånga, Sweden

BPS38940-3 11/2022

